ottobock.

Standard Lightweight Wheelchairs

The Ottobock Start Series



Start M1 Intro

No sooner ordered than delivered



Fast availability is a matter of course with the Start M1 Intro.

Several versions of the model are in stock. Make your selection using the straightforward order form - choose the seat width and decide on a version - your order is shipped within two working days.

The standard equipment includes segmented, swing-away footrests, side panels with heightadjustable armrests and an integrated tip-assist as well as back tubes with lumbar curve.

A variety of options tailored to the model are available. These are included with the delivery.

The modular design results in extensive compatibility with the other models in the Start product family - with readily apparent advantages for you:

- Reduced inventory carrying costs thanks to identical components
- Straightforward service
- Options are compatible with all Start models



Swing-away, removable footrest holders offer plenty of space for the legs.



• The side panel is removable and can be turned to the rear for transfers.




The tip-assist integrated into the frame helps the attendant when crossing obstacles.

Options



Start M1 Intro with standard equipment



Rear wheels with quick-release axle make space-saving loading possible



Version with drum brake for easier downhill driving



The segmented footplate is angle-adjustable and flips up

Product Features

- Aluminium tube frame
- Tip-assist integrated into the frame
- Individual footrests, angle-adjustable, plastic
- Swing-away footrest holders
- Desk side panel, height-adjustable, with armrest
- Nylon seat and back upholstery, black
- Rear wheels with quick-release axles
- Knee lever wheel lock
- 24" rear wheel with PU tyre
- Frame colour silver metallic



Basic Technical Data

125 kg
From 15 kg
40.5 – 50.5 cm
43 cm preset, adjustable to 40 cm/46 cm
42.5 cm (standard back), 47.5 cm (angle-adjustable back)
Front 49 cm
3°
31 – 47 cm

Notes